

SERIES 120 BLACK BILGE PUMP HOSE

Black corrugated hose with cuff every 12 inches for ease of installation. For discharge of fresh/salt water in bilge areas. Easily installed on manual, electric or automatic bilge pumps.

HOS120-0586C	5/8"	BLACK BILGEFLEX	FT.....	\$ 0.69
HOS120-0346C	3/4"	BLACK BILGEFLEX	FT.....	\$ 0.69
HOS120-1186C	1-1/8"	BLACK BILGEFLEX	FT.....	\$ 0.79
HOS120-1146C	1-1/4"	BLACK BILGEFLEX	FT.....	\$ 0.99
HOS120-1126C	1-1/2"	BLACK BILGEFLEX	FT.....	\$ 1.29



SERIES 121 WHITE BILGE PUMP HOSE

White corrugated hose with cuff every 12 inches for ease of installation. For discharge of fresh/salt water in bilge areas. Easily installed on manual, electric or automatic bilge pumps.

HOS121-0586C	5/8"	WHITE BILGEFLEX	FT.....	\$ 0.69
HOS121-0346C	3/4"	WHITE BILGEFLEX	FT.....	\$ 0.69
HOS121-1186C	1-1/8"	WHITE BILGEFLEX	FT.....	\$ 0.79
HOS121-1146C	1-1/4"	WHITE BILGEFLEX	FT.....	\$ 0.99
HOS121-1126C	1-1/2"	WHITE BILGEFLEX	FT.....	\$ 1.29



SERIES 130 HEATER/WATER HOSE

Engine Heater Hose, Heat Exchanger, A/C Circulation. Drain Lines - Sink, Icebox, Shower, Livewell. Toilet Intake - Heavy Duty Only. EPDM tube and cover, fabric reinforced. Resistant to: mild chemicals, heat, cold, ozone, saltwater. Temperature range: -40° to +190° F.

HOS130-0586C	5/8"	HEATER / WATER HOSE	FT.....	\$ 1.49
HOS130-0346C	3/4"	HEATER / WATER HOSE	FT.....	\$ 1.69



SERIES 141 MULTIFLEX BILGE/WATER HOSE

For potable water fill, sink and shower drains and livewell aerators. FDA-approved vinyl compounds are supported by a rigid black vinyl helix. Not recommended for sanitation or below-waterline thru-hull connections. Sold per foot; 50' maximum continuous length. Bilge pump discharge, drains, water tank fill. FDA formula PVC. Vinyl helix. Ambient temperatures. 7/8" Minimum bend radius.

HOS141-0346	3/4"	50'	\$ 75.95	J
HOS141-1006C	1"	FT	\$ 1.99	
HOS141-1006	1"	50'	\$ 95.95	J
HOS141-1186	1-1/8"	50'	\$ 98.95	J



SERIES 150 CLEAR PVC TUBING

Single extrusion vinyl, non-toxic produced with FDA approved compound. For use as drain lines, live well, refrigerators and ice boxes. NOT recommended for hot water.

HOS150-0146C	1/4"	CLEAR PVC	FT.....	\$ 0.49
HOS150-0386C	3/8"	CLEAR PVC	FT.....	\$ 0.79
HOS150-0126C	1/2"	CLEAR PVC	FT.....	\$ 0.99
HOS150-0586C	5/8"	CLEAR PVC	FT.....	\$ 1.09
HOS150-0346C	3/4"	CLEAR PVC	FT.....	\$ 1.39
HOS150-1006C	1"	CLEAR PVC	FT.....	\$ 1.89
HOS150-1146C	1-1/4"	CLEAR PVC	FT.....	\$ 2.69
HOS150-1126C	1-1/2"	CLEAR PVC	FT.....	\$ 2.89



SERIES 162 CLEAR PVC WITH RED TRACER

Nylon reinforced FDA approved vinyl compound. Non-toxic, tasteless, odorless. For vent and drain lines, bilge pump discharge, hot or cold pressurized water systems.



HOS162-0386C	3/8"	NYLON REINFORCED	FT.....	\$ 0.89
HOS162-0126C	1/2"	NYLON REINFORCED	FT.....	\$ 1.19
HOS162-0586C	5/8"	NYLON REINFORCED	FT.....	\$ 1.29
HOS162-0346C	3/4"	NYLON REINFORCED	FT.....	\$ 1.49
HOS162-1006C	1"	NYLON REINFORCED	FT.....	\$ 2.29
HOS162-1146C	1-1/4"	NYLON REINFORCED	FT.....	\$ 4.39

SERIES 105 POLY X SANITATION HOSE

The ultimate sanitation hose - Lifetime warranty against odor permeation. Combines the flexibility of a rubber hose with the ultimate permeation resistance of Polyurethane. Poly X can easily be slipped over most fittings. Polyurethane cover is very abrasion resistant. Glossy cover for easy clean up. Head to holding tank. Holding tank pump out. Construction Tube : smooth, white NEOPRENE, chemicals and detergent resistant. Reinforcement : 2 textile fabric plies with one steel wire. Cover : smooth, POLYURETHANE, heat, weather, ozone and abrasion resistant, glossy cover.



HOS105-1000C	1"	POLY"X" SANITATION HOSE	FT.....	\$ 17.35
HOS105-1120C	1-1/2"	POLY"X" SANITATION HOSE	FT.....	\$ 20.45

SERIES 148 SMOOTH PVC SANITATION HOSE


Heavy duty, multi-purpose PVC sanitation system hose. For head intake, head to holding tank, holding tank to pump out, bilge pump and drain, sump pump discharge and potable water fill. Smooth inside and outside providing excellent clamping (no cuff required). Flexible PVC with rigid PVC helix which provides excellent collapse resistance and tight bend radius. FDA approved materials.



HOS148-0346C	3/4"	SANITATION HOSE	FT.....	\$ 2.09
HOS148-1006C	1"	SANITATION HOSE	FT.....	\$ 2.39
HOS148-1126C	1-1/2"	SANITATION HOSE	FT.....	\$ 3.39

SERIES 149 LIVEWELL HOSE


Livewell Intake And Drain. Bilge Pump Intake and Discharge. Drains - Sink, Shower, Scupper. Sanitation - Intake, Vent. Black smooth cover with vinyl helix. Rated for full vacuum. Resistant to: mild chemicals, salt water. Do not use glycol based antifreeze in hose. For below waterline connections.



HOS149-0346	3/4"	LIVEWELL HOSE	\$ 82.95	J
HOS149-1006	1"	LIVEWELL HOSE	\$ 104.95	J
HOS149-1186	1-1/8"	LIVEWELL HOSE	\$ 105.95	J
HOS149-1146	1-1/4"	LIVEWELL HOSE	\$ 139.95	J
HOS149-1126	1-1/2"	LIVEWELL HOSE	\$ 154.95	J

SERIES 400 VENT HOSE

Blower vent and bilge vent for venting of bilge gasses. Ozone and sunlight resistant. Will not support a flame.



HOS402-3000C	3"	BLACK VENT	FT.....	\$ 0.69
HOS400-3000C	3"	WHITE VENT	FT.....	\$ 0.69
HOS402-4000C	4"	BLACK VENT	FT.....	\$ 0.69
HOS400-4000C	4"	WHITE VENT	FT.....	\$ 0.69

SERIES 375 SAEJ1527/USCG TYPE A2 FUEL FILL HOSE

A hardwall hose for connecting deck plate filler to fuel tank connection. Helical wire allows a light bend radius and extreme flexibility. Flame resistant cover for enclosed engine compartments. Hose is resistant to gasoline, diesel and alcohol blended fuels. A2 indicates fill/vent hose where fuel is not normally continuously in the hose.

HOS375-1126C	1-1/2"	FUEL FILL A2	FT\$	7.19
HOS375-1584C	1-5/8"	FUEL FILL A2	FT\$	12.60
HOS375-1784C	1-7/8"	FUEL FILL A2	FT\$	13.10
HOS375-2004C	2"	FUEL FILL A2	FT\$	13.80
HOS375-2384C	2-3/8"	FUEL FILL A2	FT\$	15.80



SERIES 368 SAEJ1527/USCG FUEL HOSE

A fuel feed and vent hose formulated to resist gasoline, diesel and alcohol blended fuels. A1 indicates feed hose where fuel is normally continuously in the hose. Constructed with a flame resistant cover for enclosed engine compartments.

HOS368-0146C	1/4"	FUEL LINE A1	FT\$	2.19
HOS368-0566C	5/16"	FUEL LINE A1	FT\$	2.19
HOS368-0386C	3/8"	FUEL LINE A1	FT\$	2.19
HOS368-0126C	1/2"	FUEL LINE A1	FT\$	3.09
HOS369-0586C	5/8"	FUEL LINE A2	FT\$	3.19



SERIES 331 SILVERADO 3000 OUTBOARD FUEL LINE

Resistant to Ethanol blend fuels and is CARB compliant for small engine use. This EPA compliant outboard fuel line has a thermoplastic construction resists UV and the barrier layer prevents permeation. The gray color of the hose helps prevent vapor lock. This hose is primarily used for above deck primer bulb assemblies.

HOS331-0386	3/8"	X 50'\$	93.95
HOS331-0386C	3/8"	X PER FT.\$	1.89
HOS331-0566	5/16"	X 50'\$	85.95
HOS331-0566C	5/16"	X PER FT.\$	1.79



SERIES 200 SOFTWALL MARINE EXHAUST HOSE

Recommended for wet marine exhaust systems. Special fiber between two plies of nylon fabric construction prevents panting, shock vibration, and wall collapse. Specially blended tube and cover resist engine exhaust, high temperature and ozone.

HOS200-1144C	1-1/4"	SOFTWALL EXHAUST	FT\$	6.59
HOS200-1124C	1-1/2"	SOFTWALL EXHAUST	FT\$	7.19
HOS200-1344C	1-3/4"	SOFTWALL EXHAUST	FT\$	7.99
HOS200-1584C	1-5/8"	SOFTWALL EXHAUST	FT\$	7.69
HOS200-1784C	1-7/8"	SOFTWALL EXHAUST	FT\$	8.19
HOS200-2004C	2"	SOFTWALL EXHAUST	FT\$	8.49
HOS200-2184C	2-1/8"	SOFTWALL EXHAUST	FT\$	10.90
HOS200-2144C	2-1/4"	SOFTWALL EXHAUST	FT\$	11.05
HOS200-2384C	2-3/8"	SOFTWALL EXHAUST	FT\$	11.70
HOS200-2584C	2-5/8"	SOFTWALL EXHAUST	FT\$	12.65
HOS200-2124C	2-1/2"	SOFTWALL EXHAUST	FT\$	12.50
HOS200-2344C	2-3/4"	SOFTWALL EXHAUST	FT\$	13.80
HOS200-2784C	2-7/8"	SOFTWALL EXHAUST	FT\$	13.90
HOS200-3004C	3"	SOFTWALL EXHAUST	FT\$	14.00
HOS200-3184C	3-1/8"	SOFTWALL EXHAUST	FT\$	14.70
HOS200-3124C	3-1/2"	SOFTWALL EXHAUST	FT\$	15.10
HOS200-4004C	4"	SOFTWALL EXHAUST	FT\$	16.35
HOS200-4184C	4-1/8"	SOFTWALL EXHAUST	FT\$	24.45
HOS200-4124C	4-1/2"	SOFTWALL EXHAUST	FT\$	26.95
HOS200-5004C	5"	SOFTWALL EXHAUST	FT\$	26.95
HOS200-5124C	5-1/2"	SOFTWALL EXHAUST	FT\$	34.45



SERIES 250 HARDWALL MARINE EXHAUST HOSE


Recommended for wet marine exhaust systems. Helical wire reinforcement design allows for lengthy connections or connections requiring tight bends.



HOS250-0584C	5/8"	HARDWALL EXHAUST FT	\$ 4.89
HOS250-0344C	3/4"	HARDWALL EXHAUST FT	\$ 5.19
HOS250-1004C	1"	HARDWALL EXHAUST FT	\$ 5.39
HOS250-1144C	1-1/4"	HARDWALL EXHAUST FT	\$ 6.09
HOS250-1124C	1-1/2"	HARDWALL EXHAUST FT	\$ 7.09
HOS250-1344C	1-3/4"	HARDWALL EXHAUST FT	\$ 8.19
HOS250-1584C	1-5/8"	HARDWALL EXHAUST FT	\$ 7.59
HOS250-1784C	1-7/8"	HARDWALL EXHAUST FT	\$ 8.49
HOS250-2004C	2"	HARDWALL EXHAUST FT	\$ 8.99
HOS250-2144C	2-1/4"	HARDWALL EXHAUST FT	\$ 10.00
HOS250-2384C	2-3/8"	HARDWALL EXHAUST FT	\$ 10.15
HOS250-2124C	2-1/2"	HARDWALL EXHAUST FT	\$ 11.55
HOS250-2344C	2-3/4"	HARDWALL EXHAUST FT	\$ 14.00
HOS250-2784C	2-7/8"	HARDWALL EXHAUST FT	\$ 13.80
HOS250-3004C	3"	HARDWALL EXHAUST FT	\$ 14.05
HOS250-3184C	3-1/8"	HARDWALL EXHAUST FT	\$ 16.20
HOS250-3124C	3-1/2"	HARDWALL EXHAUST FT	\$ 18.95
HOS250-4004C	4"	HARDWALL EXHAUST FT	\$ 20.45
HOS250-4124C	4-1/2"	HARDWALL EXHAUST FT	\$ 27.45
HOS250-5004C	5"	HARDWALL EXHAUST FT	\$ 26.45

IDEAL STAINLESS STEEL HOSE CLAMPS

CLP-M04	1/4"	- 5/8"	\$ 1.05
CLP-M06	5/16"	- 7/8"	\$ 1.05
CLP06	3/8"	- 7/8"	\$ 1.40
CLP08	7/16"	- 1"	\$ 1.40
CLP10	1/2"	- 1-1/16"	\$ 1.40
CLP12	1/2"	- 1-1/4"	\$ 1.45
CLP16	3/4"	- 1-1/2"	\$ 1.45
CLP20	7/8"	- 1-3/4"	\$ 1.45
CLP24	1"	- 2"	\$ 1.45
CLP28	1-5/16"	- 2-1/4"	\$ 1.45
CLP32	1-9/16"	- 2-1/2"	\$ 1.45
CLP36	7/8"	- 2-3/4"	\$ 1.50
CLP40	1/8"	- 3"	\$ 1.65
CLP44	1-15/16"	- 3-1/4"	\$ 1.90
CLP48	1-5/8"	- 3-1/2"	\$ 1.90
CLP52	1-7/8"	- 3-3/4"	\$ 2.00
CLP56	2-1/8"	- 4"	\$ 2.00
CLP64	2-5/8"	- 4-1/2"	\$ 2.20
CLP72	3-1/8"	- 5"	\$ 2.25
CLP80	3-5/8"	- 5-1/2"	\$ 2.50
CLP88	4-1/4"	- 6"	\$ 2.60
CLP96	4-3/4"	- 6-1/2"	\$ 2.65
CLP104	3-1/2"	- 6-1/2"	\$ 2.70



IDEAL STAINLESS STEEL T-BOLT CLAMPS

Heavy duty T-bolt clamps provide uniform sealing pressure for a positive, reliable seal. Specifically designed for use in high vibration and large diameter applications. The most widely used t-bolt design. Typical applications include truck air intake systems, cold side charge air systems, off-road equipment and industrial machinery.



CLP-TB150	1-1/2"	\$ 10.35
CLP-TB200	2"	\$ 10.60
CLP-TB250	2-1/2"	\$ 10.80
CLP-TB300	3"	\$ 11.00
CLP-TB400	4"	\$ 11.55

AWB FLEXIBLE DRIVER

The flexible clamp driver will facilitate fitting of AWAB hose clamps in position as difficult as 90 degrees. Features hexagon socket and flexible shaft. The 7/32 socket maintains steady grip on screw and prevents driver from slipping. The large easy-grip handle is made of high impact plastic.



AWB125008	5/16" TIP 10" LENGTH.....	\$ 20.25
AWB125010	7/32" TIP 10" LENGTH.....	\$ 20.25

PORTLAND ONLY

AWB STAINLESS STEEL HOSE CLAMPS

AWB-G09	#302009	SIZE G-9	9/32" - 3/8".....	\$ 1.80
AWB-G10	#302010	SIZE G-10	5/16" - 13/32"....	\$ 1.85
AWB-G11	#302011	SIZE G11	23/64" - 29/64"....	\$ 1.85
AWB-G12	#302012	SIZE G12	25/64" - 31/64"....	\$ 1.90
AWB-G13	#302013	SIZE G13	7/16" - 17/32"....	\$ 1.90
AWB-G14	#302014	SIZE G14	15/32" - 9/16".....	\$ 1.95
AWB-G15	#302015	SIZE G15	33/64" - 39/64"....	\$ 1.95
AWB-G16	#302016	SIZE G16	35/64" - 41/64"....	\$ 2.05
AWB-G17	#302016	SIZE G17	20/32" - 45/64"....	\$ 2.05
AWB04	#316017	SIZE 4	7/16" - 11/16"....	\$ 2.85
AWB06	#316020	SIZE 6	1/2" - 13/16"....	\$ 3.00
AWB08	#316024	SIZE 8	5/8" - 15/16"....	\$ 3.05
AWB10	#316028	SIZE 10	3/4" - 1-1/8"....	\$ 3.25
AWB12	#316032	SIZE 12	7/8" - 1-1/4"....	\$ 3.25
AWB16	#316038	SIZE 16	1-1/8" - 1-1/2"....	\$ 3.40
AWB20	#316044	SIZE 20	1-1/4" - 1-3/4"....	\$ 3.55
AWB24	#316050	SIZE 24	1-1/2" - 2".....	\$ 3.70
AWB28	#316057	SIZE 28	1-1/4" - 2-1/4"....	\$ 3.70
AWB32	#316064	SIZE 32	1-1/2" - 2-1/2"....	\$ 4.30
AWB36	#316070	SIZE-36	1-3/4" - 2 3/4"....	\$ 4.35
AWB40	#316076	SIZE-40	2" - 3".....	\$ 4.65
AWB44	#316083	SIZE-44	2-1/4" - 3-1/4"....	\$ 4.90
AWB48	#316089	SIZE-48	2-1/2" - 3-1/2"....	\$ 5.05
AWB52	#316095	SIZE-52	2-3/4" - 3-3/4"....	\$ 5.10
AWB56	#316102	SIZE-56	3" - 4".....	\$ 5.25
AWB60	#316108	SIZE-60	3-1/4" - 4-1/4"....	\$ 5.45
AWB64	#316114	SIZE-64	3-1/2" - 4-1/2"....	\$ 6.05
AWB72	#316127	SIZE-72	3 1/2" - 5".....	\$ 6.15
AWB80	#316140	SIZE-80	4" - 5-1/2"....	\$ 6.60
AWB88	#316152	SIZE-88	4-1/2" - 6".....	\$ 6.70
AWB96	#136165	SIZE-96	5" - 6 1/2"....	\$ 7.75
AWB104	#316178	SIZE-104	5-1/2" - 7".....	\$ 8.40
AWB112	#316191	SIZE-112	6" - 7 1/2"....	\$ 8.75
AWB120	#316203	SIZE-120	6-1/2" - 8".....	\$ 9.10



PORTLAND ONLY

AWB STAINLESS STEEL HOSE CLAMPS

AWB319017	SIZE 4	7/16" - 11/16"	\$ 2.90
AWB319020	SIZE 6	1/2" - 13/16"	\$ 3.05



PORTLAND ONLY

AWB CLAMP RED TAIL TIPS

Our soft red vinyl tail tips dress your job up, while at the same time making those unsightly scars just a bad memory. As a bonus, they will fit on 1/2" band clamps from those other guys as well.

AWB125015P	25 PACK RED TIPS	\$ 7.50
------------	------------------------	---------



