

GUEST OSCILLATING CABIN FAN

120-degree oscillation or can be operated in a stationary position. Mount vertically on bulkhead or horizontally on dash. Efficient 12 volt motor is quiet and draws only 1.2 amps. Three transparent blades and 7 1/2" vinyl-coated guard.

GST900 OSCILLATING CABIN FAN.....\$ 131.95




GUEST

GUEST STOW-AWAY FAN

Compact 6-3/4" W X 5-1/16" W X 1-15/16" D. 75 CFM, 12 Volt.

GST902 STOW-AWAY FAN.....\$ 78.95



GUEST

GUEST MINI-FAN

Fan housing swivels to direct air flow anywhere you need circulation install vertically or horizontally 12VDC.

GST903-5 12 VOLT MINI FAN.....\$ 52.95




GUEST

SEA-DOG CLAMP-ON MOUNT FAN

ABS housing. 6' cord and plugs into a 12v power socket. Integral high/low speed switch.

SEA450110-1 5-5/16" X 4-5/8".....\$ 23.50



SEADOGLITE

SEA-DOG 12V SUCTION FAN

Comes with a 6 foot cord and plugs into 12 volt power socket.

SEA450120-1 12VDC .28A 3.4WATT 4" DIA. BLADES....\$ 22.50




SEADOGLITE

CAFRAMO BATTERY POWERED FAN

Four D cell powered. Variable speed control. Can run from 120VAC using AC373 Adapter.

CFR737MM BATTERY POWERED FAN.....\$ 15.45



CAFRAMO 12VDC COMPACT FAN

12 Volt DC Fan, 7" 'finger-safe' blade. Two speeds. Lighter plug adapter. Suction cup and screw down base. High speed 210 CFM, low speed 144 CFM. One year warranty.

CFR747DC WHITE COMPACT FAN.....\$ 57.95



CAFRAMO BORA 12VDC FAN

Perfect for the sleep cabin, salon, cockpit or galley. Most powerful and quietest in class. Safe and easy to operate. Touch Controls. Full grills on both front and back. 3 Speeds. Built in handle for easy positioning. Fan can be swiveled side to side as well as up and down. Long-life motor 5000+ hour. Blade 5". 9" H x 6.25"W x 3.625" D

CFR748CAW WHITE 12VDC 3-SPEED.....\$ 91.95





CAFRAMO SIROCCO 12VDC FAN

Built to withstand extreme conditions. Outstanding air circulation. Rugged construction. Weather resistant. Extruded aluminum body. UV stabilized plastic. Stainless fasteners. Equipped with Cam-lock suction cup for quick mounting and bracket for permanent mounting. Adjustable tilting head. Ultra low current draw, only 0.4A.

CFR807CAW WHITE 12VDC WITH 7" BLADES\$ 114.95



CAFRAMO KONA WEATHER PROOF

Built to withstand extreme conditions. Outstanding air circulation. Rugged construction. Weather resistant. Extruded aluminum body. UV stabilized plastic. Stainless fasteners. Equipped with Cam Lock suction cup for quick mounting and bracket for permanent mounting. Adjustable tilting head. Cam Lock tilt mechanism holds fan in any position. Ultra low current draw, only 0.4A.

CFR817CAW WHITE 12VDC WITH 7" BLADES\$ 137.95



CAFRAMO ECO-FAN SELF POWERED

Generates its own electricity using the heat of the stove. Circulates warm air throughout the room · Fan speed varies automatically with the stove temperature · Patented technology · Ultra quiet

CFR800CA-BBX 100 CFM OUTPUT\$ 139.95
 CFR802CA-BBX 150 CFM OUTPUT\$ 199.95



CAFRAMO KONA WATER-PROOF FAN

The only weatherproof fan on the market! The model 817 Kona 12 and 24 Volt fan is designed to hold up in the most demanding marine conditions. Featuring a watertight motor and constructed of extruded aluminum, UV stabilized plastic and stainless fasteners the Kona is ideal for environments such as the wheelhouse dash or an exposed bridge or cockpit where splash and spray would spell disaster for other fans. The variable speed motor allows for a multitude of settings for any on board task. The standard lighter plug adapter and suction cup mount option allow this fan to be moved wherever it is needed on the boat - above or below the deck. 12 Volt lighter plug included. Locking base. Installation options - permanent mount or cam locked suction cup. Variable speed motor. Low power draw.


CFR817CAB BLACK 12VDC 7" WATER-PROOF FAN\$ 137.95



MAYFAIR BILGE BLOWERS

Mayfair bilge blowers offer quality conscious boaters a number of advantages over lighter duty tunnel blowers. The radial flow design uses a squirrel cage type blower wheel to produce a substantial output at relatively low RPM's. Consequently, the noise level is so low that Mayfair blowers are excellent for use in heads and galleys as well as in engine compartments. Long life is assured by the massive 3" diameter motor that virtually idles along at 3100 RPM's. The housings are molded of a tough glassfilled composite resin that shrugs off shock and vibration. Flange mount model 54124 mounts directly to the exhaust opening in the hull. Remote mount model 54154 is the ideal alternative to in-line or tunnel blowers. 3" ducts attach to both the inlet and the outlet and readily adapt to new or existing vents and collector boxes. Both units use 3" hose and move 12 Cubic feet of air per minute.


MAY54124 FLANGE MOUNT BLOWER\$ 94.95
 MAY54154 REMOTE MOUNT BLOWER\$ 94.95



MAYFAIR

ATTWOOD TURBO IN-LINE BLOWERS

The most advanced marine ventilation system available today. The turbo uses a revolutionary in-line design to provide quick, efficient ventilation of bilge gases. These standard models carry a 1 year warranty. The Turbo 3000 provides 145 cubic feet per minute air flow. Draws only 2.7 amps for longer blower and battery life and uses 3" I.D. hose. The Turbo 4000 provides 230 cubic feet per minute air flow, draw only 3.5 amps for longer blower and battery life and uses 4" I.D. hose.



attwood

ATT1731-4	TURBO 3000 3" IN-LINE BLOWER	\$ 27.95
ATT1741-4	TURBO 4000 4" IN-LINE BLOWER	\$ 30.95
ATT1733-4	3" IN-LINE WATER RESISTANT	\$ 29.45
ATT1743-4	4" IN-LINE WATER RESISTANT	\$ 33.45

SHURFLO YELLOW TAIL BILGE BLOWERS


The Yellowtail™ In-line Marine Blower is specifically designed to withstand the harsh marine environment. SHURflo has developed unique nylon fan blades to ensure high performance and efficient ventilation. Features: Comes standard with a fully protected heavy-duty encased motor and tinned wire assembly. Easy installation with extended barbs and slotted mounted bracket.



SHR277-3110	3" MARINE IN-LINE BLOWER	\$ 29.49
SHR277-4110	4" MARINE IN-LINE BLOWER	\$ 32.49

JABSCO FLANGEMOUNT/FLEXMOUNT BLOWERS


These blowers are constructed of a tough reinforced plastic housing and one-piece balanced rotor for maximum corrosion resistance in marine environments. They are available in sizes from 100 to 250 cubic feet of air movement per minute. Installation versatility is provided by either flexmount (motor attached mounting bracket) or flangemount (mounting flange on discharge port) models. Flexmount blowers have both inlet and outlet ports designed for slip-on flexible duct connections. They are ideal when an "in-Line" installation of a blower is preferred. The blower may be rotated in the mounting bracket to permit installation with the discharge port in any direction. The Flangemount blowers are generally mounted with the discharge port fastened directly to a flat external surface to minimize required ducting. The inlet port can then be connected with duct hose to the area requiring ventilation.



JAB35115-0020	12V 105 3" FLANGE MT.	\$ 89.95
JAB35400-0000	12V 250 4" FLANGE MT.	\$ 195.95
JAB35515-0010	12V 105 3" FLEX MT.	\$ 99.95
JAB35440-0000	12V 250 4" FLEX MT.	\$ 201.00

RULE IN-LINE BLOWERS

Rule in-line blowers provide ventilation for bilges, engine compartments, galleys and heads. Designed for efficient, high output operation, these blowers feature our exclusive front and rear shaft seals and corrosion resistant motor housings for long life. Compact and easily installed on any flat surface, Rule in-line blowers provide higher air flow, lower amp draw and quieter operation than standard blowers.



rule

RUL140	3" RULE BILGE BLOWER	\$ 32.45
RUL240	4" RULE BILGE BLOWER	\$ 38.95

VENT HOSE


Blower/bilge vent hose for venting of bilge gasses and fumes. Ozone and sunlight resistant. Priced per ft.

HOS400-3000C	3" WHITE	\$ 0.69
HOS402-3000C	3" BLACK	\$ 0.69
HOS400-4000C	4" WHITE	\$ 0.69
HOS402-4000C	4" BLACK	\$ 0.69



VENTILATION

SEADOGENTR




SEA-DOG COLLECTOR BOX

Vacuum formed ABS. For 3" hose size.

SEA331296	12-1/4" L X 3-5/8" W X 5" D LEFT.....	\$ 11.50
SEA331293	12-1/4" L X 3-5/8" W X 5" D RIGHT.....	\$ 11.50

SEADOGENTR



Injection molded polypropylene. Hose size: 3" (2)

SEA331203	15-1/2" L X 4" D X 2" H.....	\$ 5.80
-----------	------------------------------	---------

SEADOGENTR



SEA-DOG SLOTTED VENTILATOR

Stamped 316 Stainless Steel. Cutout size: 3-5/8" x 12". Overall size: 4-1/2" x 12-7/8".

SEA331290-3	CUTOUT- 3-5/8" X 12"	
	OVERALL- 4-1/2" X 12-7/8".....	\$ 23.25

SEADOGENTR



SEA-DOG SLOTTED VENTILATOR - 5 LOUVERED

Injection molded ABS. 5 louvered white vent. Cutout size: 3-5/8" W x 12-1/8" L. Overall size: 4-3/4" W x 13-1/4" L.

SEA337290-3	CUTOUT- 3-5/8" X 12-1/8"	
	OVERALL- 4-3/4" X 13-1/4".....	\$ 7.75

VENTILATION

attwood




ATTWOOD VENTURI VENT

2-3/4" wide x 17" long x 11/16" high. Installation hole size: 2-1/8" x 15-1/2". Predrilled with four mounting holes to accommodate #8 screws. Made of rugged ABS plastic that will not discolor. Adequate air opening for 3" or 4" ventilation systems. Chrome. Fits 1341 or 1342 collector box.

ATT1494-5	VENTURI VENT.....	\$ 34.95
-----------	-------------------	----------

attwood




ATTWOOD COLLECTOR BOXES

Collector box is polystyrene plastic and will not corrode. Hose screws into bottom of box and acts as water barrier. Box is designed for intake or exhaust use. Designed to be mounted either from outside or inside the deck or hull with louvered vent. Box cavity measures 3-1/4" wide x 10-1/4" long x 5-1/2" deep. For 1488 stainless steel louvered vent.

ATT1487A1	COLLECTOR BOX.....	\$ 8.89 *
ATT1488-5	S.S. LOUVERED VENT 4-3/8"X11-5/16" ...	\$ 45.95 *

attwood



ATTWOOD COWL VENTILATOR SURFACE MOUNT


Can be used with any standard 3" ventilation hose. Neck extends 1" below deck. 5-7/8" wide x 5-1/4" long x 2-1/4" high. Installation hole diameter is 3-1/4". Predrilled with three countersunk mounting holes to accommodate #8 screws. This cowl ventilator comes with flexible hose flange attached. Vent is die-cast ZAMAK with Perma-Plate chrome finish. Flange is black polypropylene for easy insertion in deck hole, plus quick, neat hose installation.

ATT1364A3	COWL VENTILATOR.....	\$ 26.95
-----------	----------------------	----------

ATTWOOD TWIST-ON HOSE FLANGE

Black polyethylene. Unique design permits installing hose from topside. Simply turn flange into spiral wind or hose, then pass hose through deck hole and mount ventilator. Connection is secure, with no hose clamp needed. Flange is resistant to gasoline, moisture and any form of marine rot. For 3" system. Installation hole diameter is 3-1/2". Predrilled with three mounting holes to accommodate #10 screws.

ATT1405-3 TWIST-ON HOSE FLANGE\$ 5.79



PERKO CHROMALEX COWL VENTILATOR

Chrome plated zinc cowl with black plastic base. 3" duct threads into neck. Hose clamps not required. 5-3/4" long x 4-3/8" wide x 2-5/8" high.

PK01312-DP-CHR CHROMALEX COWL VENT\$ 30.49



PERKO COWL VENTILATOR

5-1/4" long x 4" wide x 2-3/4" high. Zinc. Accommodates #10 screws.


PK0870-DP-CHR COWL VENTILATOR\$ 36.99



SEA-DOG COWL VENT

Stamped 304 stainless.

SEA331320-1 COWL VENT, 5-7/8" X 4-13/16"\$ 27.75



SEA-DOG CLAM SHELL VENT

Stamped 304 stainless.

SEA331340 7" X 5 3/4"\$ 25.50
SEA331350 7-1/2" X 6-3/4"\$ 32.95



SEA-DOG HOSE VENT

Injection molded ABS. For 3" I.D. hose.

SEA337325 BLACK HOSE VENT\$ 4.60



PERKO CLAM SHELL VENTILATOR

Chrome plated brass.

	BASE DIMEN.	OPEN. HEIGHT	OPEN WIDTH		
PK0315-DP1-CHR	1-5/8"X1-1/2"	7/16"	7/8".....	\$ 5.99	
PK0315-DP2-CHR	2"X2"	9/16"	1-1/8".....	\$ 8.39	
PK0339-DP-CHR	4"X3-3/4"	1-5/8"	2-1/2".....	\$ 33.99	



SEADOG MIDGET VENTS

Stamped 304 stainless.

	PACK	LENGTH	WIDTH	HEIGHT		
SEA331360-1	DISP.	1-5/8"	1-3/4"	1/2".....	\$ 1.40	
SEA331370-1	DISP.	2-1/4"	2-1/8"	5/8".....	\$ 1.85	



VENTILATION

SEADOG®




SEA-DOG FLUSH VENTS

Injection molded ABS. For hole sizes up to 3" dia., 3-5/8" X 3-5/8".

SEA337316-1	WHITE	\$ 3.20
SEA337326-1	BLACK	\$ 2.95

SEADOG®



SEADOG LOUVERED VENT

Black ABS injection molded. 10-1/8" wide x 4-7/8" high.

SEA337400-1	LOUVERED VENT	\$ 5.50
-------------	---------------------	---------

PERKO®



PERKO TRANSOM OR LOCKER VENTILATOR

Chrome plated Brass. 7" x 2-1/2".

PK0550-DP0-CHR	TRANSOM OR LOCKER VENTILATOR	\$ 18.79
----------------	------------------------------------	----------

PERKO®




PERKO LOCKER VENTILATOR

Chrome plated brass.

PK0330-DP1-CHR	2-1/2" O.D. VENTILATOR	\$ 5.59
PK0330-DP2-CHR	3-1/4" O.D. VENTILATOR	\$ 8.39

SEADOG®



SEA-DOG LOUVERED VENTS

Stamped 304 stainless steel.

	WIDTH	HEIGHT	
SEA331390-1	5"4	5/8"	\$ 8.45
SEA331380-1	5"	2-5/8"	\$ 4.75
SEA331400-1	9-1/8	4-5/8"	\$ 13.50
SEA331410-1	5"	9"	\$ 13.50

SEADOG®



SEA-DOG ROUND LOUVERED VENT

Stainless steel.

SEA331424-1	4" DIA. 3-5/8" MOUNTING HOLE	\$ 4.45
-------------	------------------------------------	---------

SEADOG®



SEA-DOG DRAIN COVER

SEA331600-1	3-1/4" STAINLESS	\$ 3.75
SEA331601-1	2-1/2" STAINLESS	\$ 2.25

SEADOG®



SEA-DOG LOCKER VENT

SEA331620-1	2-3/8" X 6-3/4" STAINLESS	\$ 5.50
-------------	---------------------------------	---------

SEADOG®



SEA-DOG OVAL LOUVERED VENT

Stamped 304 Stainless.

SEA331405-1	9-1/8" X 4-5/5"	\$ 14.50
-------------	-----------------------	----------

